

Boat	Sail type	Model	Characteristics	Layout	Cloth	Prices in EURO	
						Incl. 25% VAT	ex VAT
Aphrodite 101	Main	OD-101MA01	All-round	Crosscut	Dacron 280 AP HTP+	2.975	2.380
Aphrodite 101	Genoa	OD-101GA01	All-round	Trioptimal	Pentex PEN10/15	4.425	3.540
Aphrodite 101	Genoa (Epex)	OD-101GA02	Light/Medium	Film/Film	Polyester DPI 8000	3.300	2.640
Aphrodite 101	Genoa (Epex)	OD-101GA03	Light/Medium	Film/Film	Technora DPI 6000	4.350	3.480
Aphrodite 101	Jib	OD-101J01	All-round	Crosscut	Dacron 280 AP HTP+	1.945	1.556
Aphrodite 101	Spinnaker	OD-101SA01	All-round	Triradial	Superkote 75	2.653	2.122
12,5 Kvm Krysser	Main	OD-125MA-1	All-round	Crosscut	Dacron 200AP HMTO	910	728
12,5 Kvm Krysser	Jib C1	OD-125JL-1	Light	Crosscut	Dacron 200AP HMTO	569	455
12,5 Kvm Krysser	Jib C2	OD-125JA-1	Medium	Crosscut	Dacron 200AP HMTO	506	405
12,5 Kvm Krysser	Spinnaker	OD-125SPIT-1	All-round	Trioptimal	Superkote 75	593	474
12,5 Kvm Krysser	Spinnaker	OD-125SPIB-1	All-round	Butterfly	Superkote 75	505	404
5.5	Main (Epex)	OD-5.5MA01	All-round	Film/Film	Technora DPI 12000	3.438	2.750
5.5	Jib (Epex)	OD-5.5JL01	Light/Medium	Film/Film	Technora DPI 6000	2.788	2.230
5.5	Jib (Epex)	OD-5.5JM01	Medium/heavy	Inside Taffeta	Technora DPI 8000	3.058	2.446
5.5	Spinnaker	OD-5.5PL06	Light	Butterfly	Superlite 40	2.250	1.800
5.5	Spinnaker	OD-5.5SPA06	All-round	Trioptimal	Superkote 75	2.063	1.650
8m One Design	Main Epex	OD-8mMA01-13	All-round	Film/Film	Polyester DPI 10000	2.875	2300
8m One Design	Main	OD-8mMA02-13	All-round	Crosscut	Dacron 230 SF HMTO	2.625	2100
8m One Design	Jib 115% Epex	OD-8mJ1-02-13	Light	Film/Film	Polyester DPI 8000	2.035	1628
8m One Design	Jib 115%	OD-8mJ1-01-13	Light	Crosscut	Dacron 180 SQ MT	1.656	1325
8m One Design	Jib 85% Epex	OD-8mJ2-01-13	Light/Medium	Film/Film	Polyester DPI 10000	2.106	1685
8m One Design	Jib 85%	OD-8mJ2-02-13	Light/Medium	Crosscut	Dacron 250 AP MTO	1.338	1070
8m One Design	Storm Jib	OD-8mJS-01-13	Heavy	Crosscut	Dacron 280 AP HMTO	850	680
8m One Design	Spi 7/8	OD-8mSP-01-13	Light/Medium	Trioptimal	Superkote 60	2.200	1760
8m One Design	Spi Top	OD-8mSP-02-13	Light/Medium	Trioptimal	Superkote 60	3.213	2570
8m One Design	Spi Top	OD-8mSP-03-13	Light	Trioptimal	Superlite 40	3.625	2900
BB 10 M	Main	OD-BBMA01	All-round	Crosscut	Dacron 280 AP HTP+	2.563	2050
BB 10 M	Genoa	OD-BBGA01	All-round	Trioptimal	Pentex PEN10/15	2.663	2130
BB 10 M	Genoa (Epex)	OD-BBGA02	Light/Medium	Film/Film	Polyester DPI 8000	2.375	1900
BB 10 M	Genoa (Epex)	OD-BBGA03	Light/Medium	Film/Film	Aramid DPI 6000	2.500	2000
BB 10 M	Jib	OD-BBJ01	Medium/heavy	Crosscut	Dacron 280 AP HTP+	1.563	1250
BB 10 M	Spinnaker	OD-BBSA01	All-round	Trioptimal	Superkote 75	2.338	1870
BB 10 M	Spinnaker	OD-BBSR01	Reacher	Trioptimal	Superkote 75	2.175	1740
BB 11	Main	OD-BB11MAIN-12	All-round	Crosscut	Dacron 200 AP HTP+	915	732
BB 11	Jib	OD-BB11JIB-12	All-round	Crosscut	Dacron 200 AP HTP+	581	465
Contender	Main	OD-CONMA01	All-round	Crosscut	Dacron 190 B	1.038	830
Contender	Main	OD-CONMAIT02	All-round / Power	Crosscut	Dacron 4,52 Polypreg	1.038	830
Contender	Main	OD-CONMAIT03	All-round / Power	Crosscut	Flexx Aramid Black 07	1.188	950
Dragon	Main	OD-DRMA05	All-round	Crosscut	Dacron 280 AP HMTO	1.850	1.480
Dragon	Genoa	OD-DRGLC01	Light	Crosscut	Dacron 180 OD HTP+	1.450	1.160
Dragon	Genoa	OD-DRGMT02	Medium	Trioptimal	Dacron 240B HTP+	1.463	1.170
Dragon	Genoa	OD-DRGMC02	Medium	Crosscut	Dacron 240B HTP+	1.338	1.070
Dragon	Genoa	OD-DRGHC05	Heavy	Crosscut	Dacron 280 AP HTP+	1.338	1.070
Dragon	Spinnaker	OD-DRSA01	All-round	Butterfly	0,75 Dyalite	1.575	1.260
Dynamic 35	Main (Epex)	OD-DYMN03	All-round	Film/Film	Technora DPI 12000	5.528	4.422
Dynamic 35	Jib (Epex)	OD-DYJ01	Medium/heavy	Inside Taffeta	Technora DPI 12000	3.425	2.740
Dynamic 35	Genoa II (Epex)	OD-DYGN201	Medium/heavy	Inside Taffeta	Technora DPI 10000	4.033	3.226
Dynamic 35	Genoa I (Epex)	OD-DYGNL03	Light	Film/Film	Technora DPI 6000	4.609	3.687
Dynamic 35	Genoa I (Epex)	OD-DYGNM03	Light/Medium	Film/Film	Technora DPI 8000	4.650	3.720
Dynamic 35	Spinnaker (84,4m²)	OD-DYSPAR	All-round	Trioptimal	0,75 oz	3.000	2.400
Dynamic 35	Spinnaker (87m²)	OD-DYSPLITO	Light	Trioptimal	0,5 oz	3.441	2.753
Dynamic 35	Spinnaker (87m²)	OD-DYSPLIBU	Light	Butterfly	0,5 oz	3.354	2.683
Dynamic 35	Spinnaker (120m²)	OD-DYSPTOP	Top Light	Trioptimal	0,5 oz	4.685	3.748
Express	Main	OD-EXMA09	All-round	Crosscut	Dacron 280 AP HTP+	1.875	1.500
Express	Jib	OD-EXJM09	Medium	Crosscut	Dacron 240 AP HTP+	1.375	1.100
Express	Spinnaker	OD-EXSA09	All-round	Trioptimal	Superkote75	1.750	1.400
Finn	Main	OD-FNMNIT01	Custom	Trioptimal	ODL 04	1.350	1.080
Finn	Main	OD-FNMNIT02	Standard	Crosscut	Dacron 4,52 Polypreg	1.213	970
Folkeboat	Main	OD-FBMA01	All-round	Crosscut	Dacron 280 AP HMTO	1.563	1.250
Folkeboat	Jib	OD-FBJA02	All-round	Crosscut	Dacron 280 AP HMTO	938	750
Fun	Main	OD-FUNMAIT01	All-round	Crosscut	Dacron 5,52 Polikote	1.538	1.230
Fun	Genoa	OD-FUNGEIT01	Light/Medium	Crosscut	FLX13 Poly	1.438	1.150
Fun	Jib	OD-FUNJIT01	Heavy	Crosscut	FLX16 Poly	988	790
Fun	Spinnaker	OD-FUNSPIT01	All-round	Trioptimal	Superlite 50	1.425	1.140
H22	Main	OD-H22MAIT01	All-round	Trioptimal	Pentex PE 10	2.063	1.650
H22	Jib	OD-H22JIBIT01	All-round	Trioptimal	Pentex PE 05	988	790
H22	Gennaker	OD-H22GNIT01	All-round	Trioptimal	Superkote 75	1.788	1.430

Boat	Sail type	Model	Characteristics	Layout	Cloth	Prices in EURO	
						Incl. 25% VAT	ex VAT
H-Boat	Main	OD-HBMA05	All-round	Crosscut	Dacron 240 AP HTP+	1.525	1.220
H-Boat	Jib	OD-HBJL05	Light	Crosscut	Dacron 200 AP HTP+	1.100	880
H-Boat	Jib	OD-HBJM05	Medium	Crosscut	Dacron 240 AP HTP+	1.100	880
H-Boat	Jib	OD-HBJH05	Heavy	Crosscut	Dacron 270 B HTP+	1.138	910
H-Boat	Spinnaker	OD-HBSA05	All-round	Trioptimal	Superkote 60	1.400	1.120
H-Boat	Spinnaker	OD-HBSAB05	All-round	Butterfly	Superkote 60	1.400	1.120
IF	Main	OD-IFPLST01	All-round	Crosscut	Dacron 280 SFMH	1.513	1.210
IF	Genoa	OD-IFPLGEN01	All-round	Crosscut	Dacron 240 B HTP+	1.138	910
IF	Spinnaker	OD-IFSPI02	All-round	Trioptimal	0,75 oz	1.331	1.065
Int.806	Main	OD-INTMA01	All-round	Crosscut	Dacron 260 SF HTP+	2.025	1.620
Int.806	Jib	OD-INTJ01	Medium/heavy	Crosscut	Dacron 260 SF HTP+	1.250	1.000
Int.806	Jib (Epex)	OD-INTJEX01	Medium/heavy	Inside Taffeta	Polyester	2.844	2.275
Int.806	Genoa	OD-INTG01	All-round	Triradial	Pentex PEN05/10	2.066	1.653
Int.806	Genoa (Epex)	OD-INTGEX01	Light/Medium	Film/Film	Polyester	2.260	1.808
Int.806	Spinnaker	OD-INTSA01	All-round	Trioptimal	0,75 oz	1.563	1.250
J24	Main	OD-J24MAIT01	All-round	Crosscut	Dacron 260SF/310SQ HTP+	1.625	1.300
J24	Genoa	OD-J24GIT01	Light/Medium	Trioptimal	Technora BX10/05	2.000	1.600
J24	Jib	OD-J24JIT01	Heavy	Crosscut	Dacron 300SF HTP+	1.188	950
J24	Spinnaker	OD-J24SPIT01	All-round	Trioptimal	Superkote 75	1.538	1.230
J80	Main	OD-J80MA0R	All-round	Crosscut	Dacron 280 AP HTP+	2.275	1.820
J80	Main	OD-J80MA1R	All-round	Crosscut	Dacron 280 AP HTP+ (1 reef)	2.350	1.880
J80	Jib C2	OD-J80JC2	Light/Medium	Film/Film	Aramid DPI 8000	2.163	1.730
J80	Asym Code 2	OD-J80SC2A	Light/Medium	Trioptimal	Superkote 60	2.460	1.968
J80	Asym Code 4	OD-J80SC4A	Medium/heavy	Trioptimal	Superkote 75	2.566	2.053
Kragerøterna	Main	OD-KRAMA01	All-round	Crosscut	Dacron 200 AP HTP+	750	600
Kragerøterna	Jib	OD-KRAJ01	All-round	Crosscut	Dacron 200 AP HTP+	475	380
Luffe 37	Main	OD-LU37MA11	All-round	Crosscut	Dacron 280 AP HTP+	3.063	2.450
Luffe 37	Jib (EPEX)	OD-LU37J01	Medium/heavy	Inside Taffeta	Technora DPI 20000	3.903	3.122
Luffe 37	Genoa (EPEX)	OD-LU37GN03	Light/Medium	Film/Film	Technora DPI 16000	4.094	3.275
Luffe 37	Spinnaker	OD-LU37SPA01	All-round	Trioptimal	0,75 oz	2.625	2.100
Luffe 37	Spinnaker	OD-LU37SPR01	Reacher	Trioptimal	0,75 oz	2.500	2.000
Luffe 37	Spinnaker	OD-LU37SPL01	Light	Butterfly	0,5 oz	2.469	1.975
Melges 24	Main	OD-MEL24MA01-11	All-round	Film/Film	Aramid	3.325	2.660
Melges 24	Jib C2	OD-MEL24JC201-11	Light/Medium	Film/Film	Aramid	2.750	2.200
Melges 24	Asym Code 1	OD-MEL24S1A01-14	Light	Trioptimal	Superkote 75	2.250	1.800
Melges 24	Asym Code 2	OD-MEL24S2A01-11	AP Runner	Trioptimal	Superkote 75	2.375	1.900
Melges 32	Main	OD-MELMA01-10	All-round	Film/Film	Carbon/Technora	7.028	5.622
Melges 32	Jib C1	OD-MELJC01-10	Light	Film/Film	Carbon/Technora	3.921	3.137
Melges 32	Jib C2	OD-MELJC201-10	Light/Medium	Film/Film	Carbon/Technora	3.646	2.917
Melges 32	Jib C3	OD-MELJC301-10	Medium/heavy	Film/Film	Carbon/Technora	3.426	2.741
Melges 32	Asym Code 1	OD-MELS1A01-10	Light	Trioptimal	Superkote 75	4.349	3.479
Melges 32	Asym Code 2	OD-MELS2A01-10	Light/Medium	Trioptimal	Superkote 75	4.954	3.963
Melges 32	Asym Code 3	OD-MELS3A01-10	Medium/heavy	Trioptimal	Superkote 75	4.349	3.479
Optimist	Main	OD-T-01-L	<38 kg.	Crosscut	Dacron 140OD HTP+	425	340
Optimist	Main	OD-T-01-M	38-48 kg.	Crosscut	Dacron 140OD HTP+	425	340
Optimist	Main	OD-T-01-H	>48 kg.	Crosscut	Dacron 140OD HTP+	425	340
Optimist	Main	OD-T-05-R	All-round	Radial	Dacron 140OD HTP+	475	380
Optimist	Main	OD-O-Std.	All-round	Crosscut	Dacron 140	313	250
Platu 25	Main	OD-PLA25-MAIN	All-round	Film/Film	Polyester	2.439	1.951
Platu 25	Jib C1 (13,6 m²)	OD-PLA25-C1J	Light	Film/Film	Polyester	1.856	1.485
Platu 25	Jib C2 (12,1 m²)	OD-PLA25-C2J	Light/Medium	Film/Film	Polyester	1.750	1.400
Platu 25	Jib C3 (10 m²)	OD-PLA25-C3J	Medium/heavy	Film/Film	Polyester	1.625	1.300
Platu 25	Jib C5	OD-PLA25-STJ	Heavy	Crosscut	250 AP MTO	820	656
Platu 25	Spinnaker	OD-PLA25-S2	All-round	Trioptimal	Superkote 75	1.631	1.305
Scan-Kap 99	Main	OD-SCMA01	All-round	Crosscut	Dacron 280 B HTP+	2.588	2.070
Scan-Kap 99	Jib	OD-SCGA01	All-round/Pentex	Trioptimal	PEN20/PEN15	2.925	2.340
Scan-Kap 99	Spinnaker	OD-SCSA01	All-round	Trioptimal	0,75 oz	2.513	2.010
Scan-Kap 99	Spinnaker	OD-SCSB01	Downwind	Butterfly	0,75 oz	2.188	1.750
Scan-Kap 99	Gennaker	OD-SCG01	All-round	Trioptimal	0,75 oz	1.900	1.520
Sharke 24	Main	OD-SH-MA-01-12	All-round	Crosscut	245 SQ HMT0	1.675	1.340
Sharke 24	Genoa I	OD-SH-G180-01-12	180%	Crosscut	180 SQ HMT0	950	760
Sharke 24	Genoa I	OD-SH-G150-01-12	150%	Crosscut	205 SQ HMT0	838	670
Sharke 24	Genoa I	OD-SH-J-01-12	100%	Crosscut	245 SQ HMT0	688	550
Sharke 24	Spinnaker	OD-SH-SP-01-12	All-round	Trioptimal	Superkote 75	963	770
Snipe	Main	OD-SNM-1	All-round	Radial C	SQ165 / SQ135 HTP+	863	690
Snipe	Jib	OD-SNJAP-1	All-round	Radial C	SQ165 / SQ135 HTP+	450	360
Snipe	Jib	OD-SNJL-1	Light	Crosscut	SQ135 HTP+	450	360
Snipe	Jib	OD-SNJH-1	Heavy	Radial C	SQ165 / SQ135 HTP+	450	360

Boat	Sail type	Model	Characteristics	Layout	Cloth	Prices in EURO	
						Incl. 25% VAT	ex VAT
Soling	Main	OD-SOMA01	All-round	Crosscut	240 B HTP+	1.625	1.300
Soling	Jib	OD-SOJA01	All-round (BC2)	Crosscut	200 AP HTP+	1.000	800
Soling	Jib	OD-SOJMH01	Medium/heavy	Crosscut	240 AP HTP+	1.000	800
Soling	Jib	OD-SOJH01	Heavy	Crosscut	260 SF HTP+	1.000	800
Soling	Spinnaker	OD-SOSM01	Mini	Trioptimal	0,75 oz	1.438	1.150
Soling	Spinnaker	OD-SOSB01	All-round	Butterfly	0,75 oz	1.625	1.300
Star	Main	OD-STMAIT01	All-round	Crosscut	Dacron 3,8 Polikote	2.075	1.660
Star	Jib	OD-STJIBIT01	All-round	Crosscut	Dacron 4,46 Polikote	888	710
Spækhugger	Main	OD-SMA04	All-round	Crosscut	Dacron 270 B HTP+	1.991	1.593
Spækhugger	Jib	OD-SJMH04	Medium/heavy	Crosscut	Dacron 270 B HTP+	1.560	1.248
Spækhugger	Genoa	OD-SGA04	All-round	Trioptimal	Polyester PX 10T	2.113	1.690
Spækhugger	Genoa (Epex)	OD-SG01	All-round	Film/Film	Polyester DPI 6000	2.388	1.910
Spækhugger	Genoa (Epex)	OD-SG02	Medium/heavy	Inside Taffeta	Polyester DPI 8000	2.763	2.210
Spækhugger	Spinnaker	OD-SSA05	All-round	Trioptimal	Superkote 75	1.975	1.580
Spækhugger	Spinnaker	OD-SSR05	Reacher	Trioptimal	Superkote 75	1.683	1.346
Tempest	Main	OD-TEMMAIT01	All-round	Trioptimal	Technora 04 OD	1.825	1.460
Tempest	Jib	OD-TEMJIBIT01	All-round	Trioptimal	Technora 04 OD	913	730
Tempest	Spinnaker	OD-TEMSPIIT01	All-round	Trioptimal	Superkote 75	1.025	820
Ylva	Main (Epex)	OD-YLM01	All-round	Film/Film	Technora DPI 12000	3.438	2.750
Ylva	Genoa (Epex)	OD-YLG01	All-round	Film/Film	Technora DPI 8000	3.688	2.950
Ylva	Jib (Epex)	OD-YLJ01	All-round	Inside Taffeta	Technora DPI 10000	2.956	2.365
Ylva	Spinnaker	OD-YLSA01	All-round	Trioptimal	Superkote 75	2.750	2.200
Yngling	Main	OD-YMA01	All-round	Crosscut	Dacron 200 APHD	1.063	850
Yngling	Jib	OD-YJL01	Light/Medium	Crosscut	Dacron 180 APHD	700	560
Yngling	Jib	OD-YJH01	Medium/heavy	Crosscut	Dacron 200 APHD	700	560
Yngling	Spinnaker	OD-YSA01	All-round	Butterfly	Superkote 75	994	795
X-79	Main	OD-X79MA01	All-round	Crosscut	Dacron 280 APHD	2.250	1.800
X-79	Genoa	OD-X79GA01	All-round	Trioptimal	Pentex PEN10/15	2.313	1.850
X-79	Genoa (Epex)	OD-X79GE09	All-round	Film/Film	Polyester DPI 6000	2.260	1.808
X-79	Jib	OD-X79J01	Medium/heavy	Crosscut	Dacron 280 APHD	1.225	980
X-79	Spinnaker	OD-X79SA01	All-round	Trioptimal	Superkote 75	1.829	1.463
X-99	Main	OD-X99MA01	All-round	Crosscut	Dacron 280 AP HTP+	3.500	2.800
X-99	Genoa	OD-X99GAP01	All-round/Pentex	Trioptimal	Pentex PEN15/20	3.763	3.010
X-99	Genoa	OD-X99GALU01	All-round/Aramid	Trioptimal	X-15/10	4.316	3.453
X-99	Jib	OD-X99J0A	Medium/heavy	Crosscut	Dacron 320 AP HTP+	2.028	1.622
X-99	Spinnaker	OD-X99SA01	All-round	Trioptimal	Superkote 75	2.726	2.181
X-99	Spinnaker	OD-X99SR01	Reacher	Trioptimal	Superkote 75	2.288	1.830
X-35	Main (Epex)	OD-X35M51	DPI 16000	Film/Film	Carbon/Technora	8.875	7.100
X-35	Jib C1 (Epex)	OD-X35C1J	DPI 10000	Film/Film	Technora	5.625	4.500
X-35	Jib C2 (Epex)	OD-X35C2J	DPI 14000	Film/Film	Carbon/Technora	6.000	4.800
X-35	Jib C3 (Epex)	OD-X35C3J	DPI 20000	Film/Film	Carbon/Technora	6.000	4.800
X-35	Spinnaker C1	OD-X35C1S		Trioptimal	Superlite 50	4.750	3.800
X-35	Spinnaker C2	OD-X35C2S		Trioptimal	Superkote 75	4.500	3.600
X-35	Trysail	OD-X35TRS		Crosscut	Dacron 400 Orange	1.188	950
X-35	Storm Jib	OD-X35STJ		Crosscut	Dacron 400 Orange	1.031	825
Kogg	Main		All-round	Crosscut	Dacron 250 AP MTO	1.113	890
Kogg	Jib		All-round	Crosscut	Dacron 250 AP MTO	800	640
Knarr	Main	OD-KNMA15	All-round	Crosscut	Dacron 320 AP HTP+	1.838	1.470
Knarr	Jib C1	OD-KNC1JL15	Light	Crosscut	Dacron 320 AP HMTO	1.063	850
Knarr	Jib C2	OD-KNC2JM15	All-round	Crosscut	Dacron 320 AP HTP+	1.100	880
Tofinou 7	Main		All-round	Crosscut	Dacron 240 B HTP+	2.038	1.630
Tofinou 7	Jib		All-round	Crosscut	Dacron 160 OD HTP+	1.063	850
420	Main		All-round	crosscut	Dacron 165 SQHTP+	663	530
420	Jib		All-round	crosscut	Dacron 165 SQHTP+	388	310
420	Spinnaker		All-round	Trioptimal	Superkote 60	500	400
J-70	Main		All-round	Crosscut	270 B HTP+	2.238	1.790
J-70	Jib		All-round	Radial	240AP/265SQ HTP+	1.400	1.120
J-70	Jib		Light	Crosscut	240 AP HTP+	1.350	1.080
J-70	Gennaker		All-round	Trioptimal	Superkote 75	2.475	1.980